

Receiving Report

Date:

13/12/2

Catch No:

M127668

Supplier:

netax solution

Dart P/O:

22205

Packing Slip:

Yes ☒

No

Invoice:

Yes ☐

No ☒

Receipt:

Cash ☐

Cr ☒

Release Note Attached:

Yes ☒

No

N/A ☐

Waybill Attached:

Yes ☐

No ☒

N/A ☐

Shipment Complete:

Yes ☒

No

N/A ☐

QC6 Inspection

pm13-12-3

N/A ☐

Work Order

N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12

[Signature]

Production/Admin:

Date

Received/Costing

Initial

13/12/2
[Signature]

Location

Page-1-Of-1

All amounts are calculated in domestic currency.

All Line Item Types

All Rec. Employees All Currencies

Grouped by Vendor ID

[illegible]

Shipping Order

29/11/2013

MÉTAUX SOLUTIONS INC
2625 BOUL JACQUES CARTIER EST
LONGUEUIL, QUEBEC
J4N 1L7

Tel.: 450 641-3330

Customer: 6323336

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Order
Reference
Bid
Ship


: 92532
: 22205
: 8713
: PICK UP / PICK UP

Ship To

Same

Tel.: 1 613 632-3336

Item No.	Description	Qty	Qty Deliver	B/O Qty
AS03224	2024-T3 ALU SHEET .032" X 4' X 12' 8 -PCES PVC BOTH SIDE HT:642769A4	8	8	Ø
AS08024	ALU SHEET .080 2024 T-3 4 PCES 4' X 12' HT:608402A4	4	4	Ø
AS1824	ALU SHE .125" TH 2024-T3 2 PCES 4' X 12' HT:642877A5 SHIP TST COLLECT JP	2	2	Ø



Shipping :
Package No :
Merchandise Received: _____

Ref. : _____

SHIP TO:

**KAISER
ALUMINUM**Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586**CERTIFIED TEST REPORT**Serial Number
4306100

SOLD TO:

CUSTOMER PO NUMBER: C67160		WORK PACKAGE:		CUSTOMER PART NUMBER:		SHIP RUN/LOAD: 102705/1		GOVT CONTRACT NUMBER:	
KAISER ORDER NO: 1156898	LINE ITEM: 1	SHIP DATE: 9-AUG-2013	ALLOY: 2024	CLAD: BARE	TEMPER: T3	PRODUCT DESCRIPTION: HT Flat Sheet			
WEIGHT SHIPPED: 6547 LB	QUANTITY: 290 PCS EST.	TRUCK B/L #: 2043481	GAUGE: 0.0320 IN (0.8128 MM)		DIAMETER/WIDTH: 48.000 IN (1219.2 MM)		LENGTH: 144.000 IN (3657.6 MM)		

MHU 1699183: LOT 649164A1: 150 pieces: 094 6316
 MHU 1705904: LOT 642769A4: 140 pieces: 12

Certified SpecificationsAMS 4037/RevP
CMMP 019/RevDAMS-QQ-A-250/4/RevA
CMMP 025/RevU

ASTM B 209/Rev10

Test Code: 1504

Test ResultsLot 642769A4 Cast 629

Drop 53

Ingot 2

Melted in USA

(ASTM E8/B557)
(EN 2002-1)

Tensile:

Temper
T3Dir / # Tests
LT / 2 (Min:Max)Ultimate KSI (MPA)
67.9 : 68.8
(468 : 474)Yield KSI (MPA)
45.6 : 45.9
(314 : 316)Elongation %
16.7 : 18.4

(ASTM E1251)

Chemistry:

Actual(wt%)

SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
0.09	0.19	4.4	0.61	1.3	0.01	0.10	0.02	0.01	0.00	TOT 0.03

**KAISER
ALUMINUM**Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586**CERTIFIED TEST REPORT**Serial Number
4306100

Lot: 649164A1 Cast 623 Drop 60 Ingot 4 Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T3	LT / 2 (Min:Max)	66.3 : 67.0 (457 : 462)	44.1 : 44.2 (304 : 305)	17.0 : 17.3

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.09	0.22	4.5	0.60	1.3	0.01	0.07	0.02	0.01	0.00	TOT 0.03


ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
2024												
MIN(wt%)	0.00	0.00	3.8	0.30	1.2	0.00	0.00	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.50	0.50	4.9	0.9	1.8	0.10	0.25	0.15	0.05	0.05	TOT	0.15

Aluminum Remainder

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser) hereby certifies that metal shipped under this order was melted in the United States of America or a qualifying country per OFARS 229.872-1(a), was manufactured in the United States of America, and meets the requirements of OFARS 262.225 for domestic content. This material has been inspected, tested and found in conformance with the requirements of the applicable specifications as indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. All metal which is solution heat treated complies with AMS 2772. Any warranty is limited to that shown on Kaiser's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of Kaiser Aluminum Fabricated Products, LLC laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law. ISO-9001:2000 certified.



JAMES HEMENWAY, LABORATORIES SUPERVISOR

SHIP TO:
SOLD TO:

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number

4280390

CUSTOMER PO NUMBER: C65736 NOV	WORK PACKAGE:	CUSTOMER PART NUMBER:	SHIP RUN/LOAD: 102468/1	GOVT CONTRACT NUMBER:
KAISER ORDER NO: 1140408	LINE ITEM: 8	SHIP DATE: 1-NOV-2012	ALLOY: 2024	CLAD: BARE
TEMPER: T3		PRODUCT DESCRIPTION: Kaiser Stretched		
WEIGHT SHIPPED: 6381 LB	QUANTITY: 113 PCS EST.	TRUCK B/L #: 2039511	GUAGE: 0.0800 IN (2.0320 MM)	DIAMETER/WIDTH: 48.000 IN (1219.2 MM)
			LENGTH: 144.000 IN (3657.6 MM)	

MHU 1627257: LOT 608402A4 45 pieces; D325619
 MHU 1627260: LOT 608402A4 68 pieces; D325620

Certified Specifications

AMS 4037/RevP
CMMP 019/RevD

AMS-QQ-A-250/4/RevA
CMMP 025/RevU

ASTM B 209/Rev10

Test Code: 1504

Test Results

Lot: 608402A4 Cast 587

Drop 29

Ingot 3

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper T3	Dir / # Tests LT / 2 (Min:Max)	Ultimate KSI (MPA) 67.7 : 67.8 (467 : 467)	Yield KSI (MPA) 46.3 : 46.3 (319 : 319)	Elongation % 18.6 : 18.7
----------	--------------	-----------------------------------	--	---	-----------------------------

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.07	0.20	4.5	0.57	1.4	0.01	0.11	0.02	0.01	0.00	TOT 0.04

ALLOY LIMITS

2024	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
MIN(wt%)	0.00	0.00	3.8	0.30	1.2	0.00	0.00	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.50	0.50	4.9	0.9	1.8	0.10	0.25	0.15	0.05	0.05	TOT	0.15

Aluminum Remainder

**KAISER
ALUMINUM**


Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4280390

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser) hereby certifies that metal shipped under this order was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 282.228 for domestic content. This material has been inspected, tested and found in conformance with the requirements of the applicable specifications as indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. All metal which is solution heat treated complies with AMS 2772. Any warranty is limited to that shown on Kaiser's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of Kaiser Aluminum Fabricated Products, LLC laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law. ISO-9001:2000 certified.



JAMES HEMENWAY, LABORATORIES SUPERVISOR

SHIP TO:

**KAISER
ALUMINUM**Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586**CERTIFIED TEST REPORT**Serial Number
4306101

SOLD TO:

CUSTOMER PO NUMBER: C67160		WORK PACKAGE:	CUSTOMER PART NUMBER:		SHIP RUN/LOAD: 102705/1	GOVT CONTRACT NUMBER:	
KAISER ORDER NO: 1156898	LINE ITEM: 5	SHIP DATE: 9-AUG-2013	ALLOY: 2024	CLAD: BARE	TEMPER: T3	PRODUCT DESCRIPTION: Kaiser Stretched	
WEIGHT SHIPPED: 6679 LB	QUANTITY: 75 PCS EST.	TRUCK B/L #: 2043481	GUAGE: 0.1250 IN (3.1750 MM)	DIA/METER WIDTH: 48.000 IN (1219.2 MM)	LENGTH: 144.000 IN (3657.6 MM)		

MHU 1702728: LOT 642983A3: 26 pieces; 12846328

MHU 1702735: LOT 642877A5: 32 pieces LOT 642983A3: 17 pieces; 0946331 - 0946330

Certified SpecificationsAMS 4037/RevP
CMMP 019/RevDAMS-QQ-A-250/4/RevA
CMMP 025/RevU

ASTM B 209/Rev10

Test Code: 1504

Test Results*AmB-12-3*

Lot: 642877A5

Cast 829

Drop 10

Ingot 2

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:

Temper
T3

Dir / # Tests

LT / 2 (Min:Max)

Ultimate KSI (MPA)

68.1 : 68.1

(470 : 470)

Yield KSI (MPA)

45.9 : 47.0

(318 : 324)

Elongation %

20.2 : 20.4

(ASTM E1251)

Chemistry:

Actual(wt%)

SI

0.09 /

FE

0.22 /

CU

4.4 /

MN

0.54 /

MG

1.3 /

CR

0.01 /

ZN

0.12 /

TI

0.02 /

V

0.01 /

ZR

0.00

OTHER

TOT 0.03



KAISER ALUMINUM

CERTIFIED TEST REPORT

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

Serial Number
4306101

Lot: 642963A3 Cast 629 Drop 07 Ingot 1 Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T3	LT / 2 (Min:Max)	66.5 : 66.6 (459 : 459)	44.8 : 45.4 (309 : 313)	19.6 : 20.9

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.09	0.21	4.3	0.55	1.4	0.01	0.17	0.02	0.01	0.00	TOT 0.04

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
2024												
MIN(wt%)	0.00	0.00	3.8	0.30	1.2	0.00	0.00	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.50	0.50	4.9	0.9	1.8	0.10	0.25	0.15	0.05	0.05	TOT	0.15

Aluminum Remainder

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser) hereby certifies that metal shipped under this order was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content. This material has been inspected, tested and found in conformance with the requirements of the applicable specifications as indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. All metal which is solution heat treated complies with AMS 2772. Any warranty is limited to that shown on Kaiser's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of Kaiser Aluminum Fabricated Products, LLC laboratory. The recording of false, fictitious or fraudulent statements or entries on this certificate may be punished as a felony under federal law. ISO-9001:2000 certified.

James Hemmenway

JAMES HEMENWAY, LABORATORIES SUPERVISOR



Page 2 of 2



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO22205**

Purchase Order Date 11/27/2013

PO Print Date 11/27/2013

Page Number 1 of 2

Order From :
METAUX SOLUTIONS
2625 BOUL JACQUES-CARTIER EST
LONGUEUIL, QC J4N 1L7
CA

VC-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

REVISED

Contact Name
Vendor Phone 800 558 8858

Buyer Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency CAD

FOB Destination-Collect

Ship To Contact

Ship To Phone

Ship Via: TST ground

Ship Acct:

FAKED
C 13/11/27

M127668

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M2024T3S.032	2024-T3 .032 sheet	11/29/2013 Yes 11/29/2013		384.00 sf	\$5.65	\$2,169.60
MATERIAL: 2024-T3 ALUMINUM SHEET AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209							
Line Total:							\$2,169.60
2	M2024T3S.080	2024-T3 .080 sheet	11/29/2013 Yes 11/29/2013		192.00 sf	\$12.49	\$2,397.31
MATERIAL AS ABOVE							
Line Total:							\$2,397.31
3	M2024T3S.125	2024-T3 .125 sheet	11/29/2013 Yes 11/29/2013		96.00 sf	\$19.63	\$1,884.70
MATERIAL AS ABOVE							

13/12/2

Note:

11/27/2013



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO22205

Purchase Order Date 11/27/2013

PO Print Date 11/27/2013

Page Number 2 of 2

Order From :
METAUX SOLUTIONS
2625 BOUL JACQUES-CARTIER EST
LONGUEUIL, QC J4N 1L7
CA

VC-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 800 558 8858

Buyer Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency CAD

FOB Destination-Collect

Ship To Contact

Ship To Phone

Ship Via: TST ground

Ship Acct:

Line Total: \$1,884.70

PO Total: \$6,451.61

WCS

Note: Pricing listed above is as per contract agreement between Dart Aerospace and the respective manufacturer.
No substitution or deviation without consent.
Certificate of Conformity or Material Certification required ☒ YES ☐ NO
PST# 6122-5207

Change Nbr:

2

Change Date: 11/27/2013